


Amerika en Canada 1997




We zijn met Jan, Joyce en Esther op vakantie geweest. We zijn naar Seattle gevlogen en hebben daar een minivan gehuurd. We hebben de volgende route gevolgd: Craters of the Moon Nat Monument, Grand Teton NP, Yellowstone, Waterton NP, Banf, Jasper, Vancouver Island en Olympic Park NP en daarna weer terug naar Seattle.






Amerika en Canada 1997







Amerika en Canada 1997






Amerika en Canada 1997







Amerika en Canada 1997






Amerika en Canada 1997







Amerika en Canada 1997







Amerika en Canada 1997






Amerika en Canada 1997






Amerika en Canada 1997








Amerika en Canada 1997






Amerika en Canada 1997






Amerika en Canada 1997







Amerika en Canada 1997




Titan 33-19 Hauler specifications	
Engine:	gross power @ 900 rpm ... 3300 HP
	cylinder bore & stroke 65
	stroke displacement 9 1/16" x 10" (230mm x 254mm)
	gross displacement 10,320 cu. in. (169.15 lit)
	operating principle 2-stroke cycle, turbo charged, overhead, cast injection
	Full speed 900 rpm, 30 mph
	idle speed 315 rpm
	two radiators, optional design
	two hydraulically driven fans
Electric drive system:	generator — GM 10 pole alternator directly coupled to the engine
	traction motors — 4 GM series wound motors
Suspension:	front — independent
	rear — hydraulic load equalizing cylinders on rear axle
Hoist System:	2 mounted hoist cylinders, 3 stage power down in second and third stages
Brakes:	independent front and rear service system
	retards emergency brake
Tires:	size size - 4.00 x 57 - 60PR (overall height of tire - 140")
Electrical System:	24 volt accessories with air start
	ten 12 volt batteries
	75 ampere alternator
Service Data:	engine lube oil system 278 gal. (1066 litres)
	engine cooling system 212 gal. (796 litres)
	fuel tank 500 gal. (1892 litres)
	hoist hydraulic tank 350 gal. (1327 litres)
Weight:	net vehicle weight 520,400 lb. (236,053 kg.)
	payload 700,000 lb. (317,520 kg.)
	gross vehicle weight 1,220,400 lb. (553,573 kg.)




Amerika en Canada 1997






Amerika en Canada 1997








Amerika en Canada 1997







Amerika en Canada 1997







Amerika en Canada 1997





Amerika en Canada 1997





Amerika en Canada 1997

